

## Case 4

ผู้ป่วยหญิงไทยคู่ อายุ 38 ปี อาชีพพนักงานบัญชี ภูมิลำเนากรุงเทพมหานคร

**อาการสำคัญ:** ปวดท้องบริเวณลิ้นปี่ 3 วัน

**ประวัติปัจจุบัน:**

6 ปีก่อน มีอาการคลื่นไส้ อาเจียนร่วมกับปวดท้องบริเวณลิ้นปี่ เข้ารับการรักษาตัวในรพ. ได้รับยาแก้ปวดและน้ำเกลือ

อาการปวดท้องทุเลาลง หลังออกจากรพ. ผู้ป่วยไม่มีอาการปวดท้องและคลื่นไส้ อาเจียนอีก

5 เดือนก่อน มีอาการคลื่นไส้ อาเจียนมาก กินได้น้อย น้ำหนักลดลง ไม่มีอาการปวดท้อง

3 วันก่อน มีอาการปวดท้องบริเวณลิ้นปี่ อาการปวดเป็นตลอดเวลา คลื่นไส้และอาเจียนมากขึ้น ไม่มีไข้

ไม่มีท้องเสีย

**ประวัติส่วนตัว:** ไม่มีดื่มสุรา, ไม่สูบบุหรี่

**ประวัติครอบครัว:** บิดาเป็นมะเร็งตับ มารดาสุขภาพแข็งแรงดี มีพี่น้อง 3 คน สุขภาพแข็งแรงดี

Physical examination: V/S: T 36.8 C, P 70 bpm, BP 110/70 mmHg, RR 18/min

BW 42 kg, Height 163 cm, BMI 15.80 kg/m<sup>2</sup>

GA: A middle-aged woman, good consciousness, mildly pale, no jaundice, no edema

HEENT: no thyroid gland enlargement

CVS: JVP 2 cm above sternal angle, normal S1S2, no murmur

RS: normal breath sounds, no adventitious sounds

Abdomen: mild tender at epigastrium and LUQ area, no rebound tenderness, no guarding

Neuro: E4V5M6, pupil 2 mm RTLBE, Motor power grade V/V all extremities

**Investigation:**

- CBC: Hb 10.3 g/dL, Hct 31.2%, MCV 87.9 fL, WBC 8,080/mm<sup>3</sup>, N 80%, L 13%, M 5%, platelet 219,000/mm<sup>3</sup>
- BUN 4.6 mg/dL, Cr 0.71 mg/dL, Na 135 mmol/L, K 3.4 mmol/L, Cl 102 mmol/L, HCO<sub>3</sub> 24 mmol/L