

ผู้ป่วยรายที่ 3

หญิงไทยโสด อายุ 30 ปี อาชีพ พยาบาล ภูมิลำเนา กรุงเทพมหานคร

CC : ใจสั่น เป็นๆหายๆ 4 เดือนก่อนมาโรงพยาบาล

PI : 4 เดือนก่อนมาโรงพยาบาล มีอาการใจสั่น มือสั่น เหงื่อแตก ไม่ปวดศีรษะ ไม่หมดสติ รับประทานอาหารได้ตามปกติ น้ำหนักเพิ่มขึ้น 4 กิโลกรัมภายใน 2 เดือน

2 เดือนก่อนมาโรงพยาบาล อาการเหงื่อแตกใจสั่น เป็นมากขึ้น มีอาการเกือบตลอดเวลา ปัสสาวะอุจจาระปกติ มองเห็นปกติ ไม่มีภาพซ้อน ไม่มีเจ็บหน้าอก นอนราบได้ ไปพบแพทย์ ตรวจพบความผิดปกติ จึงส่งตัวมารักษาต่อ

PH: มีประวัติเป็นไทรอยด์เป็นพิษเมื่อ 3 ปีก่อน ปฏิเสธโรคประจำตัวอื่นๆ ไม่เคยผ่าตัด ปฏิเสธการดื่มเครื่องดื่มแอลกอฮอล์ ปฏิเสธการใช้ยาสมุนไพร อาหารเสริม ยาหรือผลิตภัณฑ์ลดน้ำหนัก

PE: V/S : BP 140/90 mmHg, PR 102/min, regular HR, RR 18/min, BT 36.8 oC

HEENT : not pale conjunctivae, no icteric sclerae

Heart : PMI at 5th ICS and MCL, no heaving, no thrill, normal S1, S2, no murmur

Lungs normal breath sounds, no adventitious sounds

Abdomen : no distension, active bowel sound, soft, not tender,

Liver and spleen : liver span 10 cms, splenic dullness was negative

Extremities : no edema, no active skin lesion

LAB: Hb 11.9g/dL Hct 37.1% WBC 12,200 Platelet 379,000

BUN 2.8 mg/dL Cr 0.6 mg/dL Na 140 mEq/L K 3.7 mEq/L CL 99.4 mEq/L HCO3 28.3 mEq/L

LFT : TP 7.9 g/dl albumin 4.2 g/dl TB 0.5 mg/dl DB 0.2 mg/dL AST 24 U/L

ALT 23 U/L ALP 58 U/L